



Run Cool
 Run Reliably
 Run With 80 PLUS
 www.80PLUS.org

ENP-5136GH

ATX12V



Application Reference

- Performance Desktop PC



Electrical Specifications

- Input Voltage 100 - 240 VAC (-/+10%)
Auto Switching
- Frequency 47 ~ 63 Hz
- Input current 8 Arms @ 100 VAC
4 Arms @ 240 VAC
- Hold-up Time 17ms in regulation ranges

Environmental Specifications

- Protection OCP/OPP/OVP
OTP/SCP
- Operating/Storage Temp. 5~50°C/-40~70°C
- Operating/Storage Humidity 20~85%/5~95%
- Operating/Storage Altitude 3,000/15,000 FT
- MTBF 100,000 HRS
- Safety Approvals UL/CUL, CB, TUV
- EMC Regulations FCC, CE

Output Specifications

Voltage	Regulation Load	Minimum Load	Maximum Load	Peak
+3.3V	+/-5%	0A	20.0A	--
+5.0V	+/- 5%	0A	12.0A	--
+12.0V1	+/- 5%	1.0A	12.0A	--
+12.0V2	+/- 5%	1.0A	13.0A	16.5A
-12.0V	+/- 10%	0A	0.3A	--
+5 Vsb	+/- 5%	0A	3.0A	3.5A

(*) Total maximum combines load output on +3.3V and +5V rail shall not exceed 130 Watts





Run Cool
 Run Reliably
 Run With 80 PLUS
 www.80PLUS.org



Mechanical Drawing

ATX12V






Run Cool
 Run Reliably
 Run With 80 PLUS
 www.80PLUS.org




Wire Harness

Description

P1 - Main Power



P2 - 8 Pin CPU-VR Power Connector



P3- PCI-Express Power Connector




P4 to P7 - Peripheral



P8 - Floppy



P9 to P12 - Serial ATA



Connector Housing

Molex 39-01-2240 or Equivalent

1	Orange	+3.3V	13	Orange	+3.3V
2	Orange	+3.3V	14	Blue	-12VDC
3	Black	GND	15	Black	GND
4	Red	+5V	16	Green	PS_ON
5	Black	GND	17	Black	GND
6	Red	+5V	18	Black	GND
7	Black	GND	19	Black	GND
8	Gray	PWR OK	20	NC	Reserved
9	Purple	5 VSB	21	Red	+5V
10	Yellow	+12V1	22	Red	+5V
11	Yellow	+12V1	23	Red	+5V
12	Orange	+3.3V	24	Black	GND

Molex 39-01-2080 or Equivalent

1	Black	GND	5	Yellow	+12V1	
2	Black	GND	6	Yellow	+12V1	
3	Black	GND	7	Yellow	Black	+12V2
4	Black	GND	8	Yellow	Black	+12V2

Molex 45559-0002 or Equivalent

1	Yellow	+12V1	4	Black	GND
2	Yellow	+12V1	5	Black	GND
3	Yellow	+12V1	6	Black	GND

Molex 8981-04P or Equivalent

1	Yellow	+12V1
2	Black	GND
3	Black	GND
4	Red	+5V

AMP 171822-4 or Equivalent

1	Red	+5V
2	Black	GND
3	Black	GND
4	Yellow	+12V1

Molex 88751 or Equivalent

1	Yellow	+12V1
2	Black	GND
3	Red	+5V
4	Black	GND
5	Orange	+3.3V

Dimension (WxLxH)

- 150 x 140 x 86 (mm)
- 5.9 x 5.5 x 3.38 (inch)

Cooling Fan

- 12V DC, 120mm

Notes

- Specification subject to change without notice. All new processors support will be updated once official announced by vendors
- All company logo and legal name belong to original company. All copyright reserved by Enhance Electronics.
- One-Year Standard Warranty
- Last Update: 3/12/2007

ATX12V